


NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
		R - z miejscem na kapilarę, L – długość [cm] <i>R - probe holder, L – lenght [cm]</i>
		gwint, moc, napięcie zasilania, długość [cm] <i>thread, power, tension, lenght [cm]</i>
	10214	M10, 2.2 kW, 230 V, L13 – Veit 2365
1	10215R	M14, 1.7 kW, 230 V, L12 – Comel Practica
	10216R	M14, 2.2 kW, 230 V, L12 – Comel Practica
2	10217	M14, 2.0 kW, 230 V, L15 – Alux WA-44
	10218	M14, 1.7 kW, 230 V, L15 – Alux WA-44
	10219	M14, 3.0 kW, 230 V, L15
	10220	M14, 2.0 kW, 230 V, L18
	10221	M14, 2.5 kW, 230 V, L18
	10222	M14, 3.0 kW, 230 V, L18
	10223	M14, 3.5 kW, 230 V, L18
	10224	M14, 4.0 kW, 230 V, L18
	10239	M14, 6.0 kW, 230 V, L38
3	10242	M14, 2.2 kW, 230 V, L25, Ø95 – Veit Hodamat 2405
	10244	M14, 3.0 kW, 230 V, L25, Ø95 – Veit Duomat 2433
	10246	M14, 3.0 kW, 400 V, L25, Ø95 – Veit Duomat 2433
	10248	M14, 3.9 kW, 230 V, L25, Ø95 – Veit Duomat 2433
4	10310	M16, 1.6 kW, 230 V, L10 – Pony
	10312	M16, 2.0 kW, 230 V, L10 – Pony



1



2



3



4

NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
1	10314	M16, 2.7 kW, 230 V, L10 – Pony
	10316	M16, 3.0 kW, 230 V, L12.5 – Pony
	10318	M16, 3.3 kW, 230 V, L12.5 – Pony
	10319	M16, 3.5 kW, 230 V, L12.5 – Pony
2	10325	M16, 2.0 kW, 230 V, L18 – Comel FB/F, Cocchi
	10326	M16, 2.5 kW, 230 V, L18 – Comel FB/F, Cocchi
	10327	M16, 3.0 kW, 230 V, L18 – Comel FB/F, Cocchi
	10328	M16, 3.5 kW, 230 V, L18
	10329	M16, 4.0 kW, 230 V, L18 – Pony, Nustrii
	10334	M16, 3.0 kW, 230 V, L23 – Nustrii
	10336	M16, 4.0 kW, 230 V, L23 – Nustrii
	10338	M16, 5.0 kW, 230 V, L23 – Nustrii
	10340	M16, 6.0 kW, 230 V, L23 – Nustrii
	10352	M16, 3.0 kW, 230 V, L27 – Alux, Pony
	10354	M16, 4.0 kW, 230 V, L27 – Alux, Pony
	10356	M16, 5.0 kW, 230 V, L27 – Alux, Pony
	10358	M16, 6.0 kW, 230 V, L27 – Alux, Pony
	10360	M16, 7.0 kW, 230 V, L27 – Alux, Pony
	10364	M16, 5.0 kW, 230 V, L32
	10366	M16, 6.0 kW, 230 V, L32
	10368	M16, 7.0 kW, 230 V, L32



1



2



2

NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
1	10372	M16, 5.0 kW, 230 V, L36
	10374	M16, 6.0 kW, 230 V, L36
	10376	M16, 7.0 kW, 230 V, L36 – Pony
	10378	M16, 8.0 kW, 230 V, L36 – Pony
2	10410	G3/4", 1.5 kW, 230 V, L50 – Renzacci, Fimbimatic
	10410R	G3/4", 1.5 kW, 230 V, L50 – Renzacci, Fimbimatic
	10412	G3/4", 2.0 kW, 230 V, L50 – Renzacci, Italclean
	10412R	G3/4", 2.0 kW, 230 V, L50 – Renzacci, Italclean
	10413	G3/4", 2.5 kW, 230 V, L50 – Realstar, Union
	10414	G3/4", 2.0 kW, 230 V, L75 – Realstar
	10414R	G3/4", 2.0 kW, 230 V, L67 – Suprema itp.
	10415R	G3/4", 2.5 kW, 230 V, L67 – Suprema itp.
	10416R	G3/4", 1.5 kW, 230 V, L67 – Suprema itp.
	10418	G3/4", 2.0 kW, 230 V, L50
3	10425	G1", 1.0 kW, 230 V, L15 – Svelta
	10430	G1", 0.8 kW, 230 V, L15
4	10432	G1", 1.0 kW, 230 V, L15
	10433R	G1", 1.0 kW, 230 V, L16
	10434	G1", 1.2 kW, 230 V, L15
	10435R	G1", 1.2 kW, 230 V, L16



NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
1	10438	G1", 1.5 kW, 230 V, L17
	10439	G1", 1.5 kW, 230 V, L17
	10440	G1", 2.0 kW, 230 V, L17
	10441	G1", 2.0 kW, 230 V, L16
	10443	G1", 3.0 kW, 230 V, L50
	10444R	G1", 3.0 kW, 230 V, L50
2	10460	G5/4", 0.8 kW, 230 V, L17
	10461R	G5/4", 0.9 kW, 230 V, L15
	10462R	G5/4", 1.0 kW, 230 V, L17
	10463R	G5/4", 1.5 kW, 230 V, L17
	10465	G5/4", 1.5 kW, 230 V, L17
	10465R	G5/4", 1.5 kW, 230 V, L17
	10466	G5/4", 1.6 kW, 230 V, L18
	10468	G5/4", 2.0 kW, 230 V, L18
	10470	G5/4", 2.0 kW, 230 V, L37
	10472	G5/4", 2.0 kW, 230 V, L45
	10474	G5/4", 3.0 kW, 230 V, L45
	10476	G5/4", 2.0 kW, 230 V, L55
	10478	G5/4", 3.0 kW, 230 V, L55
	10480	G5/4", 3.0 kW, 230 V, L70
	10510	G6/4", 2.0 kW, 230 V, L14



1



2

NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
1	10512	G6/4", 2.0 kW, 230 V, L18
	10514R	G6/4", 2.0 kW, 230 V, L18
	10516	G6/4", 3.0 kW, 230 V, L24
	10518R	G6/4", 3.0 kW, 230 V, L24
	10520	G6/4", 4.5 kW, 230 V, L24 – Protomet LW69
	10522R	G6/4", 4.5 kW, 230 V, L24
	10528	G6/4", 4.5 kW, 230 V, L31 – Veit, Krapf
	10530R	G6/4", 4.5 kW, 230 V, L31
	10532	G6/4", 6.0 kW, 230 V, L31
	10534	G6/4", 6.0 kW, 230 V, L39 – Protomet LW81
	10536	G6/4", 6.0 kW, 230 V, L44
	10538	G6/4", 10 kW, 230 V, L42 – Veit Goliath
2	10546	G2", 6.0 kW, 230 V, L60
	10550	G2", 8.0 kW, 230 V, L60
3	Grzałki kryzowe Heating elements with flange wymiary kryzy [mm], moc, napięcie, długość [cm] flange dim. [mm], power, tension, L- lenght [cm]	
	10610	120x120, 12 kW, 400 V, L26.5 – Sussman
	10612	120x120, 15 kW, 400 V, L26.5 – Sussman
	10614	120x120, 18 kW, 400 V, L26.5 – Sussman
4	10616	Ø64, 4.0 kW, 230 V – Sussman
5	10630	Ø125, 2.6 kW, 230 V, L14.5 – Cocchi



1




2



3




4



5

NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
1	10634	Ø125, 3.9 kW, 230 V, L18 – Cocchi
	10636	Ø125, 6.0 kW, 230 V, L18 – Cocchi
	10638	Ø125, 9.0 kW, 230 V, L18 – Cocchi
	10650R	Ø130, 4.5 kW, 230 V, L25 – Ilsa
	10654R	Ø130, 6.0 kW, 230 V, L45 – Ilsa
	10656R	Ø130, 10.5 kW, 230 V, L45 – Ilsa
2	10660	Ø147, 7.5 kW, 230 V, L25 – BM, Sidi, Ghidini
	10666	Ø147, 10 kW, 230 V, L37 – Sidi, Ghidini
	10668	Ø147, 20 kW, 230/400 V, L37 – Sidi, Ghidini
	10670	Ø147, 24 kW, 230/400 V, L48 – Sidi, Ghidini
	10672	Ø147, 12 kW, 230/400 V, L28 – Sidi, Ghidini
	10674	Ø150, 6.0 kW, 230/400 V, L20 – Renzacci, Union
	10676	Ø152, 10 kW, 230/400 V, L28 – Camptel
	10679	Ø152, 15 kW, 230/400 V, L28 – Camptel
	10683	Ø160, 4.5 kW, 230/400 V, L28 – Camptel
3		moc, długość [cm], średnica gięcia [mm] power, lenght [cm], bending diameter [mm]
	10940	85 W, L10, Ø22
	10941	100 W, L70, Ø10 – WA-103
	10941A	100 W, L70, Ø20 – WA-101, WA-109
	10942	150 W, L110, Ø20 – WA-108



1



2



3

NR N°	NR ART. CODE	NAZWA TOWARU DESCRIPTION
	10943	200 W, L90, Ø80 – WA-104
	10944	200 W, L130, Ø80 – WA-105, WA-106
		moc, długość [cm], zasilanie, Ø gięcia [mm] power, lenght [cm], tension, bending Ø [mm]
1	10954	400 W, L190, 230 V, Ø100
	10963	600 W, L170, 230 V, Ø100 WA-7
2	10965	1000 W – specjalna / <i>special</i> WA-9
1	10966	1000 W, L190, 230 V, Ø100 WA-1
	10967	1000 W, L220, 230 V, Ø100 WA-3, WA-5, WA-8
3	10975	1200 W, L220, 230 V prosta / <i>straight</i> WA-2, WA-4

